





#### **TABLE OF CONTENTS**

TECHNOLOGY1	TRADITIONAL WELT BOOTS 24
INSITE TECHNOLOGY FOOTBED	WOODWORKS CLIMBING BOOTS 28
ENERGY BOOTS3	MET GUARD BOOTS
LIGHTWEIGHT HIKERS WITH INSITE® TECHNOLOGY 5	PAC BOOT
LIGHTWEIGHT HIKERS 6	PUNCTURE RESISTANT BOOTS
WEDGE BOOTS	ROMEOS AND WORK OXFORD
MADE IN USA	WOMEN'S BOOTS
CORE BOOTS	LIGHTWEIGHT SHOES AND OXFORD WEDGE BOOTS $\dots$ 36
RUGGED FLEX SQUARE TOE WELLINGTON 14	POP AND MARKETING38
RUGGED FLEX BOOTS	BANNER ADS AND EMAIL BLAST TEMPLATES40
FORCE BOOTS	

#### STYLE AND PAGE INDEX

\*NEW STYLE FOR FALL 2017

Style Number	Page										
CMA1310	23	CMF6066	18	CMH6344	6	CMP12270	27	CMW6120	12	CMX4013	37
CMA4311	23	CMF6356	19	CML8131	29	CMP1258	15	CMW6174	26	CMX4023	37
CMA6046	22	CMF6366	18	CML8150	26	CMP1259	13	CMW6175	7	CMX6075	7
CMA6331	22	CMF6371	18	CML8160	29	CMP1270	13	CMW6185	26	CMZ6040	9
CMA6335	22	CMF6380	19	CML8169	29	CMR1899	33	CMW6197	27	CMZ6340	9
CMA6346	22	CMF8058	19	CML8250	26	CMR1999	32	CMW6220	12	CMZ8040	9
CMA6381	22	CMF8089	19	CML8360	29	CMR6859	33	CMW6264	26	CMZ8340	9
CMA8346	23	CMF8358	19	CML8369	29	CMR6971	32	CMW6274	26		
CMA8359	23	CMF8389	19	CM03040	34	CMR8859	33	CMW6275	7	WOMEN'S STY	'LES
CMC1259	31	CMF8720	30	CM03156	6	CMR8939	32	CMW6285	26	CWP1250	35
CMD3211	37	CMH4170	6	CM03251	5	CMS4100	34	CMW6297	27	CWP1150	35
CME6055	4	CMH4175	6	CM03356	6	CMS4190	34	CMW6610	30	CWF5355	35
CME6351	4	CMH4251	5	CMP1100	12	CMS4191	34	CMW8100	12	CWS4160	35
CME6355	4	CMH4370	6	CMP1108	15	CMS4200	34	CMW8200	12		
CME8355	4	CMH4385	6	CMP1200	12	CMU1142	12	CMX3013	37		
CMF1391	18	CMH6076	6	CMP1208	15	CMU1242	12	CMX4011	37		
CMF6056	19	CMH6144	6	CMP1218	15	CMW6095	7	CMX4012	37		

#### RETURNS AND WARRANTY INFORMATION

#### CARHARTT FOOTWEAR WARRANTY

- · Boots and Shoes have a one year limited warranty in normal use, against any defects in materials, manufacturing and workmanship. The Black Diamond warranty does not cover damage due to holes worn in toes, burn marks, punctures, cuts and abrasions from outside causes, misuse and/or abuse by the wearer.
- The warranty may also be void if the user applies any materials not recommended for footwear, such as polishes, creams, oils or other chemicals that result in damage to the materials of the footwear.

#### DEALERSHIP RETURN GOODS POLICY

- · Black Diamond Return Goods Department shall have the final decision as to the cause of damage and the replacement judgment.
- · Black Diamond requires a customer's receipt as proof of purchase when sending footwear back for inspection.
- We expect our retailers to handle and accept returns in a businesslike and professional manner. Please have the consumer clean the footwear before returning them to Black Diamond for inspection.

#### WE DO NOT ACCEPT FOOTWEAR DIRECTLY FROM THE CONSUMER.

- · We reserve the right to repair or replace at our discretion. No goods may be returned without prior authorization.
- · Call 855-277-8944 for a Return Authorization Number.
- · Please refer to The Black Diamond credit application for all other terms and conditions.



#### THE CARHARTT DIFFERENCE

Since 1889, Carhartt has manufactured premium workwear known for exceptional durability, comfort and quality that you can feel in the materials and see in the performance. Just as our founder, Hamilton Carhartt, began four generations ago, Carhartt will continue to manufacture the most rugged and durable clothing and footwear for generations to come.

As a choice brand for those who work and play outdoors, Carhartt is proud to serve a variety of workers in many industries including construction and manufacturing along with farmers, ranchers and outdoor enthusiasts. Your customers will enjoy our footwear and the technologies we use for the performance they want.

Icon	Feature	Performance
ST	Steel Toe	Identifies protection against impact and compression hazards with a steel safety toe. Steel toe styles meet ASTM 2413-11 standards.
СТ	Composite Toe	Identifies protection against impact and compression hazards with a composite (non-metalic) safety toe. Composite toe styles meet ASTM 2413-11 standards.
MG	Metatarsal Guard	Identifies protection against impact and compression hazards to the top of the foot with a metatarsal guard. Metatarsal styles meet ASTM 2413-11 standards.
	Electrical Hazard	Identifies secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions. EH styles meet ASTM 2413-11 EH standards for safety toe footwear and ASTM F2892-11 for non-safety toe styles.
<b>Ω</b> • Ω • • • • • • • • • • • • • • • • •	Puncture Resistant & CSA	Identifies protection against puncture hazards to the bottom of the foot with a puncture resistant plate. Puncture Resistant styles must meet ASTM 2413-11 standards. CSA Grade 1 toe protection and CSA electrical shock resistance of 18KV under dry conditions.
C <sub>e</sub>	Storm Defender® Waterproof Breathable Protection	These shoes are designed to be completely waterproof and to keep your feet dry in most types of wet conditions. A waterproof and breathable membrane is used to keep your feet dry but promote air flow and circulation.
C *	Insulation	These shoes are designed to keep your feet warm in most types of cold conditions. The two type of insulating barriers used in Carhartt Footwear are LiteFire® and 3M™ Thinsulate™. LiteFire® is an aluminum based waterproof and breathable membrane that reflects body heat equivalent to 400, 600, 800 or 1000 grams of traditional insulation without the weight or bulk. 3M™ Thinsulate™ is a microfiber that insulates boots by trapping air molecules between you and the outside. 400 and 600 grams is used for cold conditions or moderate activity levels.
HG	Heel Guard	The Carhartt Heel Guard feature is designed to provide ankle stability, side impact protection and heel protection durability.
HS	Heel Stabilizer	The Carhartt Heel Stabilizer feature is designed to provide ankle stability and heel protection durability.
	Electric Static Dissipative	These shoes are designed to reduce the accumulation of excess static electricity by conducting body charge to ground, while maintaining a high enough level of electrical



Electric Static Dissipative

These shoes are designed to reduce the accumulation of excess static electricity by conducting body charge to ground, while maintaining a high enough level of electrical resistance. Meets ASTM 2413-11 SD standards.

# **ENERGY WORK BOOTS** WITH INSITE® TECHNOLOGY FOOTBEDS

#### INSITE ENGINEERED FOOTBED


CAD designed footbed based on 120,000 3D foot scans for fit, form and comfort



for maximum rebound to prevent fatigue during prolonged use

#### SINGLE DENSITY PU FOAM

Specifically chosen for its compression set and ability to work with Pulsion foam



# ENERGY WORK BOOTS END THE DAY AS STRONG AS YOU STARTED



SLIP RESISTANCE





#### **ENERGY WORK BOOTS**

#### NEW Men's 6-Inch Brown Waterproof Work Boot

Composite Toe - CME6355 Non-Safety - CME6055

**UPPER** Brown oil tanned leather.

 $\textbf{OUTSOLE} \quad \text{Cement constructed with Carhartt rubber Energy outsole}.$ 

**FEATURES** EVA midsole with dual foam Insite Technology footbed.

Molded rubber toe bumper with abrasion resistant rubber heel. Storm Defender\* waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15







#### NEW Men's 6-Inch Black Waterproof Work Boot

Composite Toe - CME6351

UPPER Black oil tanned leather.

 $\textbf{OUTSOLE} \qquad \textbf{Cement constructed with Carhartt rubber Energy outsole}.$ 

**FEATURES** EVA midsole with dual foam Insite Technology footbed.

Molded rubber toe bumper with abrasion resistant rubber heel.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15







#### NEW Men's 8-Inch Brown Waterproof Work Boot

Composite Toe - CME8355

**UPPER** Brown oil tanned leather.

 $\textbf{OUTSOLE} \quad \text{Cement constructed with Carhartt rubber Energy outsole}.$ 

FEATURES EVA midsole with dual foam Insite Technology footbed.

Molded rubber toe bumper with abrasion resistant rubber heel.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

SIZES MEDIUM 8-12, 13, 14 WIDE 8-12, 13, 14, 15

STORM DEFENDER







#### ABRASION RESISTANT TOP COVER WITH TETRAPOD TECHNOLOGY



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE	3	0	
CHEMICAL RESISTANCE		0	4
ABRASION RESISTANCE		0	
HEAT RESISTANCE		0	3
SLIP RESISTANCE		0	

Performance chart is suggested for the intended industry

#### **NEW Men's Lightweight Black** Work Hiker

Steel Toe - CMH4251

UPPER "No sew" black nylon mesh and premium synthetic upper.

**OUTSOLE** Cement construction with Carhartt rubber outsole and CMEVA midsole.

**FEATURES** PU strobel pad with dual foam Insite Technology footbed.

FastDry® technology wicks away sweat.

Imported.

#### Safety Toe ASTM 2413-11 EH

**MEDIUM** 8-12, 13, 14 SIZES

WIDE 8-12, 13, 14, 15



#### **NEW Men's Lightweight Low Black** Work Hiker

Steel Toe - CM03251

"No sew" black nylon mesh and premium synthetic upper. **UPPER** 

**OUTSOLE** Cement construction with Carhartt rubber outsole and CMEVA midsole.

**FEATURES** PU strobel pad with dual foam Insite Technology footbed.

FastDry® technology wicks away sweat.

Imported.

#### Safety Toe ASTM 2413-11 EH

SIZES **MEDIUM** 8-12, 13, 14

















#### LIGHTWEIGHT HIKERS AND WORKBOOTS

#### Men's Lightweight Brown/Brown Composite Toe - A. CMH4370/B. CMH4375 Waterproof Work Hiker

Non-Safety - A. CMH4170/B. CMH4175

**UPPER** A. Brown leather with brown nylon

B. Grey split leather with blue nylon.

OUTSOLE Cement construction with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

SIZES MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's Lightweight Low Grey/Blue Waterproof Work Hiker

Composite Toe - CM03356 Non-Safety - CM03156

**UPPER** Grey split leather with blue nylon.

OUTSOLE Cement construction with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**MEDIUM** 8-12, 13, 14 SIZES

WIDE 8-12, 13, 14, 15





#### Men's 6-Inch Bison Brown Waterproof Work Hiker

Composite Toe - CMH6344 Non-Safety - CMH6144

**UPPER** Dark bison brown oil tanned leather.

OUTSOLE Cement construction with Carhartt rubber outsole and CMEVA midsole.

PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM2413-11 EH, Soft Toe ASTM F2892-11 EH

MEDIUM 8-12, 13, 14 SIZES

WIDE 8-12, 13, 14, 15





#### Men's Lightweight Brown Waterproof Work Hiker

Non-Safety - CMH6076

UPPER Brown oil tanned leather.

**NUTSOLE** Cement construction with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender\* waterproof breathable membrane.

Imported.

#### Soft Toe ASTM F2892-11 EH

SIZES MEDIUM 8-12, 13, 14







#### Men's 6-Inch Tan Waterproof Wedge Boot

Steel Toe - CMW6275 Non-Safety - CMW6175

**UPPER** Tan oil tanned leather.

 $\textbf{OUTSOLE} \quad \textbf{Goodyear welt construction with dual density Carhartt rubber outsole}.$ 

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's 6-Inch Brown Waterproof Wedge Boot

Non-Safety - CMW6095

UPPER Brown oil tanned leather.

OUTSOLE Goodyear welt construction with dual density Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15





#### NEW Men's 6-Inch Brown Wedge Boot

Non-Safety - CMX6075

**UPPER** Brown oil tanned leather with brown abrasion resistant Carstrong® durable fabric

**OUTSOLE** Goodyear welt construction with dual density Carhartt rubber outsole.

**FEATURES** PU strobel pad with PU cushion insoles.

FastDry® technology wicks away sweat.

Imported.

#### Soft Toe ASTM F2892-11 EH

**SIZES** MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15









carnartt	

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE		0	
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended industry





THE BOOTS THAT BUILD AMERICA ARE

# BUILTIN AMERICA







MADE IN THE USA OF US AND IMPORTED PARTS

#### Men's 6-Inch Brown Waterproof Work Boot

Composite Toe - CMZ6340 Non-Safety - CMZ6040

**UPPER** Brown oil tanned leather.

OUTSOLE Direct attached polyurethane outsole.

FEATURES FastDry\* technology lining wicks away sweat.
Storm Defender\* waterproof breathable membrane.

PU with foam cushion insoles.

Made in the USA of US and imported parts.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11EH

SIZES MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 8-Inch Brown Waterproof Work Boot

Composite Toe - CMZ8340 Non-Safety - CMZ8040

**UPPER** Brown oil tanned leather.

OUTSOLE Direct attached polyurethane outsole.

FastDry® technology lining wicks away sweat. **FEATURES** 

Storm Defender® waterproof breathable membrane.

PU with foam cushion insoles.

Made in the USA of US and imported parts.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11EH

SIZES **MEDIUM** 8-12, 13, 14

















ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE			0
CHEMICAL RESISTANCE			0
ABRASION RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended industry Polyurethane outsoles are not tested for heat resistance







#### Men's 6-Inch Bison Brown Waterproof Work Boot

Steel Toe - CMW6220 Non-Safety - CMW6120

**UPPER** Bison brown oil tanned leather.

OUTSOLE Direct attached welt construction with dual density PU Carhartt CORE outsole.

FEATURES PU strobel pad with PU cushion insoles. TPU heel guard with achilles flex joint.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

SIZES **MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 8-Inch Bison Brown Waterproof Work Boot

Steel Toe - CMW8200 Non-Safety - CMW8100

Steel Toe - CMP1200

Non-Safety - CMP1100

**UPPER** Bison brown oil tanned leather.

OUTSOLE Direct attached welt construction with dual density PU Carhartt CORE outsole.

FEATURES PU strobel pad with PU cushion insoles.

TPU heel guard with achilles flex joint.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

SIZES **MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15







Men's 11-Inch Bison Brown

Waterproof Wellington

**UPPER** 

Bison brown oil tanned leather and abrasion resistant Carstrong® durable fabric.

OUTSOLE Direct attached welt construction with dual density PU Carhartt CORE outsole.

FEATURES PU strobel pad with PU cushion insoles.

TPU heel guard with achilles flex joint.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

SIZES **MEDIUM** 8-12, 13, 14 WIDE 8-12, 13, 14, 15



# carbartt

#### Men's 11-Inch Brown/Black Waterproof Insulated Wellington

Steel Toe - CMP1259

Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU

coated leather.

**OUTSOLE** Direct attached welt construction with dual density PU Carhartt CORE outsole.

FEATURES PU strobel pad with PU cushion insoles.

TPU heel guard with achilles flex joint.

Storm Defender® waterproof breathable membrane and 400 LiteFire® insulation.

Imported.

Safety Toe ASTM 2413-11 EH

**MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 11-Inch Brown Waterproof Wellington

Steel Toe - CMP1270

Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and brown PU

coated leather.

**OUTSOLE** Direct attached welt construction with dual density PU Carhartt CORE outsole.

FEATURES PU strobel pad with PU cushion insoles.

TPU heel guard with achilles flex joint.

Storm Defender® waterproof breathable membrane.

Imported.

Safety Toe ASTM 2413-11 EH

SIZES MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's 11-Inch Dark Brown **Unlined Breathable Wellington**

Steel Toe - CMU1242 Non-Safety - CMU1142

**UPPER** 

Dark brown oil tanned leather.

OUTSOLE

Direct attached welt construction with dual density PU CORE outsole.

FEATURES PU strobel pad with PU cushion insoles. TPU heel stabilizer.

Unlined leather for maximum breathability.

Imported.

Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

SIZES

**MEDIUM** 8-12, 13, 14











#### **RUGGED FLEX® SQUARE TOE WELLINGTONS**

# carbartt 6

# Men's 11-Inch Dark Bison Brown Square Toe Wellington

Steel Toe - CMP1208 Non-Safety - CMP1108

**UPPER** Dark bison brown oil tanned leather and abrasion resistant Carstrong® durable fabric.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU strobel pad with PU cushion insoles. FastDry\* technology wicks away sweat.

Imported.

Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8–12, 13, 14

WIDE 8-12, 13, 14, 15



#### Men's 11-Inch Brown/Black Square Toe Waterproof Wellington

Steel Toe - CMP1258

**UPPER** Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and Black PU

coated leather.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU strobel pad with PU cushion insoles.

 $\begin{tabular}{ll} Storm \begin{tabular}{ll} Defender "waterproof breathable membrane." \\ \end{tabular}$ 

Imported.

Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM 8–12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's 11-Inch Brown Square Toe Wellington

Steel Toe - CMP1218

**UPPER** Two tone brown oil tanned leather.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU strobel pad with PU cushion insoles.

FastDry\* technology wicks away sweat.

Imported.

Safety Toe ASTM 2413-11 EH

**SIZES MEDIUM** 8–12, 13, 14















ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE			0

Performance chart is suggested for the intended industry











#### **RUGGED FLEX®**

#### Men's 6-Inch Brown Work Boot

Composite Toe - CMF6366 Non-Safety - CMF6066

**UPPER** Brown oil tanned leather.

**OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.

**FEATURES** EVA midsole with PU strobel pad. PU with foam cushion insoles.

Rubber heel bumper. Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's 6-Inch Black Waterproof Work Boot

Composite Toe - CMF6371

UPPER Black oil tanned leather.

OUTSOLE Cement constructed with Carhartt rubber Rugged Flex\* outsole.

FEATURES EVA midsole with PU strobel pad and PU with foam cushion insole.

Rubber toe and heel bumper.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15







#### Women's 6-Inch Brown Work Boot

Composite Toe - CWF5355

UPPER Brown oil tanned leather.

**OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.

**FEATURES** EVA custom fit removable inserts.

PU with foam cushion insoles. Rubber heel bumper.

Imported.

Safety Toe ASTM 2413-EH

SIZES MEDIUM/WIDE 6-10, 11

MULTI-FIT





#### Men's 10-Inch Brown/Black Waterproof Pull-On

Composite Toe - CMF1391

**UPPER** Brown oil tanned leather, Neoprene shaft and Black PU coated leather.

**OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex\* outsole.

**FEATURES** EVA midsole with PU strobel pad.

PU with foam cushion insoles.

 $Storm\ Defender "waterproof\ breathable\ membrane.$ 

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM 8-12, 13, 14







# carbartt 🧐

#### Men's 6-Inch Brown Waterproof Work Boot

Composite Toe - CMF6380

UPPER Brown oil tanned leather.

OUTSOLE Cement constructed with Carhartt rubber Rugged Flex\* outsole.

FEATURES EVA midsole with PU strobel pad and PU with foam cushion insole.

Rubber toe and heel bumper.

Storm Defender® waterproof breathable membrane.

Imported.

Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 8-Inch Brown Waterproof Insulated Work Boot

Composite Toe - CMF8389 Non-Safety - CMF8089

**UPPER** Brown oil tanned leather.

**OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex\* outsole.

**FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.

Rubber toe and heel bumper.

Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11EH

**SIZES MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15









Men's 6-Inch Wheat Waterproof Work Boot

Composite Toe - CMF6356 Non-Safety - CMF6056

UPPER Wheat oil tanned leather.

 $\textbf{OUTSOLE} \qquad \textbf{Cement constructed with Carhartt rubber Rugged Flex} \ \textbf{outsole}.$ 

FEATURES EVA midsole with PU strobel pad and PU with foam cushion insole.

Rubber toe and heel bumper.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES** MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 8-Inch Wheat Waterproof Insulated Work Boot

Composite Toe - CMF8358 Non-Safety - CMF8058

UPPER Wheat oil tanned leather.

OUTSOLE Cement constructed with Carhartt rubber Rugged Flex\* outsole.

FEATURES EVA midsole with PU strobel pad and PU with foam cushion insole.

Rubber toe and heel bumper.

Storm Defender\* waterproof breathable membrane and  $400g~3M^{\intercal}$  Thinsulate  $^{\intercal}$  insulation. Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14




























**BREATHABLE MEMBRANE** 

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE			

Performance chart is suggested for the intended industry















#### FORCE WORK BOOTS

#### Men's 6-Inch Dark Brown Waterproof Work Boot

Composite Toe - CMA6346 Non-Safety - CMA6046

**UPPER** Brown leather and 3D forming Ariaprene™.

OUTSOLE Cement constructed with Carhartt rubber outsole.

FEATURES FastDry® technology lining wicks away sweat.

Dual density EVA midsole with PU strobel pad. PU with foam cushion insoles to fight odors. Storm Defender® waterproof breathable membrane.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

SIZES **MEDIUM** 8-12, 13, 14 WIDE 8-12, 13, 14, 15







#### Men's 6-Inch Black Waterproof Work Boot

**UPPER** Black leather and 3D forming Ariaprene™.

OUTSOLE Cement constructed with Carhartt rubber outsole.


**FEATURES** FastDry\* technology lining wicks away sweat.

Dual density EVA midsole with PU strobel pad. PU with Foam cushion insoles to fight odors. Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

SIZES **MEDIUM** 8-12, 13, 14







Men's 6-Inch Black Waterproof Work Boot

Composite Toe - CMA6331

Composite Toe - CMA6335

Composite Toe - CMA6381

**UPPER** Black leather and 3D forming Ariaprene™.

OUTSOLE Cement constructed with Carhartt rubber outsole.

FEATURES FastDry® technology lining wicks away sweat.

Dual density EVA midsole with PU strobel pad. PU with foam cushion insoles to fight odors. Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

SIZES **MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 6-Inch Brown Waterproof Work Boot

**UPPER** Brown leather and 3D forming Ariaprene™.

**OUTSOLE** Cement constructed with Carhartt rubber outsole.

**FEATURES** FastDry® technology lining wicks away sweat. PU with foam cushion insoles to fight odors.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

SIZES **MEDIUM** 8-12, 13, 14 WIDE 8-12, 13, 14, 15







#### **FORCE WORK BOOTS**

#### Men's 4-Inch Black Waterproof Slip On

Composite Toe - CMA4311

**UPPER** Black leather and 3D forming Ariaprene™.

**OUTSOLE** Cement constructed with Carhartt rubber outsole.

**FEATURES** FastDry\* technology lining wicks away sweat. Dual density EVA midsole with PU strobel pad.

PU with foam cushion insoles to fight odors.
Storm Defender\* waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES MEDIUM** 8–12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 10-Inch Brown Waterproof Pull On

Composite Toe - CMA1310

**UPPER** Brown leather and 3D forming Ariaprene™.

**OUTSOLE** Cement constructed with Carhartt rubber outsole.

**FEATURES** FastDry\* technology lining wicks away sweat.

Dual density EVA midsole with PU strobel pad. PU with foam cushion insoles to fight odors. Storm Defender\* waterproof breathable membrane. Imported.

Safety Toe ASTM 2413-11 EH

**SIZES MEDIUM** 8–12, 13, 14

WIDE 8-12, 13, 14, 15







#### Men's 8-Inch Dark Brown Waterproof Work Boot

Composite Toe - CMA8346

**UPPER** Brown leather and 3D forming Ariaprene™.

**OUTSOLE** Cement constructed with Carhartt rubber outsole.

**FEATURES** FastDry® technology lining wicks away sweat.

Dual density EVA midsole with PU strobel pad. PU with foam cushion insoles to fight odors. Storm Defender waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15







# Men's 8-Inch Dark Brown Composite Toe - CMA8359 Waterproof Insulated Work Boot With Medial Side YKK® Zipper

**UPPER** Brown leather and 3D forming Ariaprene™.

**OUTSOLE** Cement constructed with Carhartt rubber outsole.

**FEATURES** FastDry\* technology lining wicks away sweat. PU with foam cushion insoles to fight odors.

Storm Defender waterproof breathable membrane and 400 LiteFire insulation.

YKK® medial side zipper with hook and loop fastener.

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM 8–12, 13, 14






























ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended industry











#### TRADITIONAL WELT

#### Men's 6-Inch Brown Work Boot

Steel Toe - CMW6274 Non-Safety - CMW6174

UPPER Brown oil tanned leather.

OUTSOLE Goodyear welt construction with Carhartt rubber outsole.

FEATURES FastDry® technology lining wicks away sweat.

PU strobel pad with PU cushion insoles. Padded collar and comfort tongue.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15



#### NEW Men's 6-Inch Brown Waterproof Work Boot

Steel Toe - CMW6264

UPPER Brown oil tanned leather.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** FastDry® technology wicks away sweat.

PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15





#### Men's 6-Inch Brown Waterproof Work Boot

Steel Toe - CMW6285 Non-Safety - CMW6185

UPPER Brown oil tanned leather.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

TPU heel stabilizer and lace in kiltie

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES** MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's 8-Inch Brown Waterproof Work Boot

Non-Safety - CML8150

Steel Toe - CML8250

**UPPER** Brown oil tanned leather and abrasion resistant Carstrong® durable fabric.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** PU strobel pad with PU cushion insoles.

TPU heel stabilizer and lace in kiltie.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

SIZES MEDIUM 8-12, 13, 14 WIDE 8-12, 13, 14, 15

STORM



#### TRADITIONAL WELT

# carbartt 😘

#### NEW Men's 6-Inch Brown Waterproof Work Boot

Steel Toe - CMW6297 Non-Safety - CMW6197

UPPER Brown oil tanned leather.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** FastDry® technology wicks away sweat.

PU strobel pad with PU cushion insoles.

 ${\tt Storm\ Defender}^{\tt o}\ waterproof\ breathable\ membrane.$ 

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's 11-Inch Dark Bison Waterproof Wellington

Steel Toe - CMP1220

**UPPER** Dark bison brown oil tanned leather and abrasion resistant Carstrong® durable fabric.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** FastDry\* technology lining wicks away sweat.

PU strobel pad with PU cushion insoles.

 $Storm\ Defender ^*\ waterproof\ breathable\ membrane.$ 

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM 9-11, 12, 13

**WIDE** 9-11, 12, 13





# Women's 10-Inch Bison Brown Waterproof Wellington

Steel Toe - CWP1250 Non-Safety - CWP1150

**UPPER** Bison brown oil tanned leather and abrasion resistant Carstrong® durable fabric.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** FastDry\* technology wicks away sweat.

PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 6-10, 11











#### **WOODWORKS CLIMBING BOOTS**

# Men's 8-Inch Vintage Saddle Leather Waterproof Climbing Boot

Composite Toe - CML8360 Non-Safety - CML8160

**UPPER** Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.

**OUTSOLE** Goodyear welt construction with Carhartt WoodWorks rubber outsole.

**FEATURES** PU strobel pad with PU cushion insoles.

TPU heel stabilizer with achilles flex joint.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES** MEDIUM 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15





#### Men's 8-Inch Black Waterproof Climbing Boot

Non-Safety - CML8131

UPPER Black oil tanned leather.

**OUTSOLE** Goodyear welt construction with Carhartt WoodWorks rubber outsole.

**FEATURES** PU strobel pad with PU cushion insoles.

TPU heel stabilizer with achilles flex joint.

Storm Defender® waterproof breathable membrane.

Imported.

#### Soft Toe ASTM F2892-11 EH

**SIZES** MEDIUM 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15





# Men's 8-Inch Vintage Saddle Leather Waterproof Insulated Climbing Boot

Composite Toe - CML8369 Non-Safety - CML8169

**UPPER** Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.

**OUTSOLE** Goodyear welt construction with Carhartt WoodWorks rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

TPU heel stabilizer with achilles flex joint.

Storm Defender® waterproof breathable membrane and 400 Litefire® insulation

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

















# **INTERNAL MET GUARDS**



ORTHOLITE™ AND TPU FLEXIBLE COMFORT INTERNAL MET GUARD IN STYLE CMW6610



PORON° XRD° INTERNAL MET GUARD IN STYLE CMF8720



#### Men's 6-Inch Black Waterproof Internal Met Guard Boot

Steel Toe, MT - CMW6610

UPPER Black oil tanned leather.

OUTSOLE Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** PU strobel pad with PU cushion insoles.

PU cushion insoles and TPU comfort internal metatarsal. Storm Defender waterproof breathable membrane.

Imported.

Safety Toe ASTM 2413-11 EH, MT


**SIZES MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15









Composite Toe, MT - CMF8720

**UPPER** Brown oil tanned leather.

**OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.

FEATURES Storm Defender® waterproof breathable membrane.

Reflective material high visibility piping.

Poron® XRD® soft comfort internal metatarsal guard.

Imported.

Safety Toe ASTM 2413-EH, MT

**SIZES MEDIUM** 8–12, 13, 14







Page 30



#### Men's 10-Inch Brown Waterproof Insulated Pac Boot

Composite Toe - CMC1259

**UPPER** Brown oil tanned leather with Black PU coated abrasion resistant leather.

**OUTSOLE** Cement constructed Carhartt rubber outsole.

**FEATURES** Foam cushion insole with TPU arch support and EVA custom fit removable insert.

TPU heel guard with achilles flex joint.

Molded rubber toe bumper.

 $Storm\,Defender^{\bullet}\,water proof\,breathable\,membrane\,and\,1000\,LiteFire^{\bullet}\,insulation.$ 

Imported.

#### Safety Toe ASTM 2413-11 EH

**SIZES** MEDIUM/WIDE 8-12, 13, 14, 15

**MULTI FIT** 















Men's 8-Inch Brown Rugged Flex® Waterproof Insulated CSA Boot

Composite Toe - CMR8939 Swen Flex® PR Plate

**UPPER** Brown oil tanned leather.

OUTSOLE Cement constructed with Carhartt rubber Rugged Flex® outsole. FEATURES EVA midsole with PU strobel pad and PU with foam cushion insole.

Rubber toe bumper.

Storm Defender waterproof breathable membrane and 400g 3M™ Thinsulate insulation.

Imported.

CSA Grade 1 ST, PR, Electrical Shock and ASTM 2413-11 PR, EH

SIZES WIDE 8-12, 13, 14, 15













Men's 6-Inch Black Waterproof CSA Work Boot Composite Toe - CMR6971 Swen Flex® PR Plate

**UPPER** Black oil tanned leather.

**OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole. FEATURES EVA midsole with PU strobel pad and PU with foam cushion insole.

Rubber toe and heel bumper.

Storm Defender® waterproof breathable membrane.

Imported.

CSA Grade 1 ST, PR, Electrical Shock and ASTM 2413-11 PR, EH

SIZES WIDE 8-12, 13, 14, 15


















Composite Toe - CMR1999 Swen Flex® PR Plate

**UPPER** Brown oil tanned leather, neoprene shaft and Black PU coated leather.

OUTSOLE Cement constructed with Carhartt rubber Rugged Flex® outsole.

FEATURES EVA midsole with PU strobel pad.

PU with foam cushion insoles.

Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.

Imported.

CSA Grade 1 ST, PR, Electrical Shock and ASTM 2413-11 PR, EH

SIZES WIDE 8-12, 13, 14, 15















#### TRADITIONAL WELT PUNCTURE RESISTANT WORK BOOTS

# carbartt

#### Men's 6-Inch Brown Waterproof Insulated CSA Boot

Steel Toe - CMR6859 Swen Flex® PR Plate

**UPPER** Pebbled brown oil tanned leather.

OUTSOLE Goodyear welt construction with Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

Rubber toe bumper.

Storm Defender waterproof breathable membrane and 400 LiteFire insulation.

Imported.

#### CSA Grade 1 ST, PR, Electrical Shock and ASTM 2413-11 PR, EH

SIZES WIDE 8-12, 13, 14, 15











#### Men's 8-Inch Brown Waterproof Insulated CSA Boot

Steel Toe - CMR8859 Swen Flex® PR Plate

**UPPER** Pebbled brown oil tanned leather.

OUTSOLE Goodyear welt construction with Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

Rubber toe bumper.

Storm Defender® waterproof breathable membrane and 400 LiteFire® insulation.

#### CSA Grade 1 ST, PR, Electrical Shock and ASTM 2413-11 PR, EH

SIZES WIDE 8-12, 13, 14, 15













#### Men's 11-Inch Brown/Black Waterproof Insulated CSA Wellington

Steel Toe - CMR1899 Swen Flex® PR Plate

**UPPER** Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU

coated leather.

OUTSOLE Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane and 400 LiteFire® insulation.

Imported.

#### CSA Grade 1 ST, PR, Electrical Shock and ASTM 2413-11 PR, EH

SIZES WIDE 8-12, 13, 14, 15


























#### ROMEOS AND WORK OXFORD

#### Men's 4-Inch Brown Waterproof Romeo

Steel Toe - CMS4200 Non-Safety - CMS4100

**UPPER** Brown oil tanned leather with twin gore openings.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable foot construction.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES** MEDIUM 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15





#### Men's Dark Bison Waterproof Oxford Romeo

Non-Safety - CMS4190

**UPPER** Dark bison brown oil tanned leather with Neoprene stretch ankle.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable foot construction.

Imported.

#### Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

**WIDE** 7-12, 13, 14, 15





#### NEW Men's Black Waterproof Oxford Romeo

Non-Safety - CMS4191

UPPER Black oil tanned leather with Neoprene stretch ankle.OUTSOLE Goodyear welt construction with Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable foot construction.

Imported.

#### Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14

WIDE 8-12, 13, 14, 15





#### Men's 3-Inch Brown Oxford Walking Shoe

Non-Safety - CM03040

**UPPER** Brown nubuck.

**OUTSOLE** Cement constructed PU outsole and Stomp Light™ PU cushion insert.

FEATURES PU Strobel pad with PU and foam cushion insoles.

Padded collar and comfort tongue.

Imported.

#### Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 8-12, 13, 14



### carbartt 😘

# Women's 4-Inch Bison Brown Waterproof Romeo

Non-Safety - CWS4160

UPPER Dark bison brown oil tanned leather with neoprene stretch ankles.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

FEATURES PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable foot construction.

Imported.

#### Soft Toe ASTM F2892-11 EH

SIZES MEDIUM/WIDE 6-10, 11

MULTI-FIT





#### Women's 6-Inch Brown Rugged Flex® Work Boot

Composite Toe - CWF5355

**UPPER** Brown oil tanned leather.

**OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.

FEATURES EVA custom fit removable inserts.

PU with foam cushion insoles.

Rubber heel bumper.

Imported.

#### Safety Toe ASTM 2413-EH

SIZES MEDIUM/WIDE 6-10, 11

**MULTI-FIT** 





# Women's 10-Inch Bison Brown Waterproof Wellington

Steel Toe - CWP1250 Non-Safety - CWP1150

**UPPER** Bison brown oil tanned leather and abrasion resistant Carstrong® durable fabric.

**OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.

**FEATURES** FastDry\* technology wicks away sweat. PU strobel pad with PU cushion insoles.

Storm Defender® waterproof breathable membrane.

Imported.

#### Safety Toe ASTM 2413-11 EH, Soft Toe ASTM F2892-11 EH

**SIZES MEDIUM** 6-10, 11











#### **OXFORDS AND WEDGE BOOT**

# carbartt 6

#### Men's 4-Inch Brown Lightweight Wedge Boot

Non-Safety - CMX4023

UPPER Brown oil tanned leather.

**OUTSOLE** Cement constructed with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU with foam cushion insoles.

FastDry® technology lining wicks away sweat.

Imported.

**SIZES** MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



# Men's

Non-Safety - CMX3013

Oxford Shoe

**UPPER** Brown oil tanned leather

OUTSOLE Cement constructed with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU with foam cushion insoles.

FastDry® technology lining wicks away sweat.

Imported.

**SIZES** MEDIUM 8-12, 13, 14

#### Men's 4-Inch Lightweight Wedge Boot

A. Non-Safety CMX4012

B. Non-Safety CMX4011

C. Non-Safety CMX4013

**UPPER** A. Wheat oil tanned leather.

B. Black oil tanned leather.

C. Brown oil tanned leather.

 $\textbf{OUTSOLE} \qquad \textbf{Cement constructed with Carhartt rubber outsole and CMEVA midsole}.$ 

FEATURES PU with foam cushion insoles.

FastDry® technology lining wicks away sweat.

Imported.

**SIZES MEDIUM** 8-12, 13, 14

#### NEW Men's Black ESD Athletic Work Shoe

Steel Toe - CMD3211

**UPPER** "No sew" black nylon mesh and premium synthetic upper.

**OUTSOLE** Cement constructed with Carhartt rubber outsole and CMEVA midsole.

FEATURES PU strobel pad with Insite Technology footbed.

FastDry® technology wicks away sweat.

Imported.

Safety Toe ASTM 2413-11 SD

**SIZES** MEDIUM 8-12, 13, 14







#### POP AND MARKETING

#### **Merchandising Support**



EASEL BACK/SLAT WALL GRAPHIC 8.5" x 11" / CHP20175



3.5" x 11" / CHP20177 \*Boot Not Included.



SHOE RISER\* 12.5" x 5" / CHP20176 \*Boot Not Included.



18"w x 36"l x 18"h / CHP20162



**HEADER** 

25" x 9" / CHP20121-F



**BOOT INSERT\*** 

4" x 11" / CHP20147 \*Boot Not Included.



SHOE RISER\*

12.5" x 5" / CHP20146



**TABLE TALK GRAPHIC** 8" x 11" / CHP20149



IN STORE BANNER

4' x 2' / CHP20165



**BOOT INSERT\*** 

4" x 11" / CHP20164

\*Boot Not Included.



SHOE RISER\*

12.5" x 5" / CHP20163

\*Boot Not Included.



SLATWALL/FLOOR **UNIT FOOTER** 

11" x 9.75" / CHP20124



**LUCITE SLATWALL SHELF TALKER 3-PACK** 

3" x 4" / CHP20132



LOZIER SHELF W/PVC-3 PACK

10"x6"/CHP20131



**BOOT WRAP** 

3"h x 10"w / CHP20155

# carbartt 🖰

#### **Merchandising Support**

\*FORCE POP AND MARKETING CAN BE SEEN ON PAGE 7



**FLOOR MAT** 

2' x 3' / CHP20125



IN STORE BANNER

4' x 2' / CHP20134



**SLAT WALL HEADER** 

25" x 9" / CHP20121



**SLATWALL SHELF 3-PACK** 

11" x 6.5" / CHP20122



SLAT WALL BACKER

16" x 63" / CHP20171



WINDOW CLING

12" x 12" / CHP20174



WINDOW CLING

11" x 8.5' / CHP20173



WINDOW CLING

10" x 4" / CHP20172



EASEL BACK TABLE TALK GRAPHIC

8" x 11" / CHP20150A



EASEL BACK TABLE TALK GRAPHIC

8" x 11" / CHP20150B



EASEL BACK TABLE TALK GRAPHIC

8" x 11" / CHP20150C



**FLOOR DECAL** 

3' x 2' / CHP20176



**FLOOR DECAL** 

12" x1 2" LEFT & RIGHT / CHP20175

BOOTS



**SHOE TOWER** 

15"w x 15"d x 60.5"h / CHP20161



FORCE FLOOR FIXTURE

34"w x 47"h x34"d / CHP20151\*

\*Force floor fixture is a stand-alone floor fixture or it can be attached to the Carhartt key item table available thru Carhartt Inc.




#### **BANNER ADS & EMAIL BLASTS**

BANNER ADS AND EMAIL BLAST TEMPLATES ARE AVAILABLE. PLEASE CONTACT YOUR SALES REP OR TERRI MURRAY AT TMURRAY@BDBOOTS TO DISCUSS YOUR NEEDS SO WE CAN HELP CREATE SOMETHING WHICH CAN BEST BOOST YOUR CARHARTT FOOTWEAR MESSAGE TO YOUR CUSTOMERS.















#### ORDER AND SALES CONTACT INFORMATION



#### CARHARTT FOOTWEAR ORDERING INFORMATION AND ALL CUSTOMER INQUIRES

Toll Free: 855-277-8944 For Questions and Information: customerservice @bdboots.com orders@bdboots.com Toll Free Fax: 888-425-1760 For Placing Orders:

#### CARHARTT FOOTWEAR SALES CONTACT INFORMATION

#### **VP OF SALES GARY MARKHAM**

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801 e-mail: gmarkham@bdboots.com

cell: 615-310-2365

#### NORTH CENTRAL TERRITORY REPRESENTATIVE STATES: IA, IN, MI, MN, NE, ND, SD, WI LEE VIRCHOW

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801 e-mail: lvirchow@bdboots.com

cell: 515-402-1108

#### NORTH EAST TERRITORY REPRESENTATIVE STATES: CT, DE, MA, MD, ME, NH, NJ, NY, OH, PA, RI, VT, WV HARRY VERNA

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801 e-mail: hverna@bdboots.com cell: 610-308-5768

#### SOUTH EAST TERRITORY REPRESENTATIVE STATES: AL, FL, GA, NC, SC, VA KRISTEN TRECKER

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801

e-mail: ktrecker@bdboots.com cell: 314-775-5223

#### NATIONAL SALES DIRECTOR CJSCOPE

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801 e-mail: cjscope@bdboots.com

cell: 574-360-6721

#### NORTH WEST TERRITORY REPRESENTATIVE STATES: AK, ID, MT, OR, WA, WY **JEFF SCARLETT**

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801

e-mail: jscarlett@bdboots.com cell: 253-209-2222

#### SOUTH CENTRAL TERRITORY REPRESENTATIVE CONNER MACH STATES: AR, IL, KS, KY, LA, MO, MS, OK, TN

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801 e-mail: cmach@bdboots.com

cell: 314-952-9233

#### SOUTH WEST TERRITORY REPRESENTATIVE STATES: AZ, CA, CO, HI, NM, NV, TX, UT MIKE TOUSIGNANT

Black Diamond Group 400 Trade Center, Suite 2990 Woburn, MA 01801

e-mail: mtousignant@bdboots.com

cell: 951-970-2249